



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/789,699	02/27/2004	Federico Uslenghi	60,246-341; 10,740	9287

26096 7590 06/29/2007  
CARLSON, GASKEY & OLDS, P.C.  
400 WEST MAPLE ROAD  
SUITE 350  
BIRMINGHAM, MI 48009

EXAMINER
----------

JOYNER, KEVIN

ART UNIT	PAPER NUMBER
----------	--------------

1744

MAIL DATE	DELIVERY MODE
-----------	---------------

06/29/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No. 10/789,699	Applicant(s) USLENGHI ET AL.	
	Examiner Kevin C. Joyner	Art Unit 1744	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 04 May 2007.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) 17-20 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date <u>8/18/06, 5/31/07</u> . | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Election/Restrictions***

1. Applicant's election without traverse of Group I, claims 1-16 in the reply filed on May 4, 2007 is acknowledged.
2. Claims 17-20 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on May 4, 2007.

### ***Claim Rejections - 35 USC § 112***

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:  

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
4. Claim 13 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
5. Claim 13 recites the limitations "the distance," and, "the non-reflection angle" in line 2 of the claim. There is insufficient antecedent basis for this limitation in the claim.

### ***Claim Rejections - 35 USC § 102***

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 1, 2, 7-9, and 12-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Suenaga (Japanese Patent No. JP 2001299881 A).

Suenaga discloses an indoor air quality module comprising: a compartment (14) having an inlet and an outlet; a monolith (2) located between the inlet and the outlet; a photocatalytic coating on the monolith (paragraph 10); an ultraviolet light source (4) which directs ultraviolet light towards the photocatalytic coating; and a shield (3) adjacent the monolith as shown in Figures 1-14 and disclosed in paragraphs 6-7. Regarding claim 2, the reference discloses that the shield is capable of reflecting the ultraviolet light that passes through the monolith towards the monolith to minimize leakage of the ultraviolet light from the module (paragraph 13; Figure 7).

Concerning claims 7-9, Suenaga discloses that the shield (3) has an upper edge and an opposing lower edge, wherein an upper gap is defined between the upper edge and the compartment and a lower gap is defined between the opposing lower edge and the compartment that produce gap heights that are substantially equal as shown in drawing 3. More specifically, the shield has edges and produces very small gaps between itself and the upper and lower portions of the compartment (14). As broadly defined and shown in drawing 3, the gaps are substantially equal in height.

Concerning claim 12, the height of the shield of Suenaga is perfectly capable of being related to a distance defined by the distance between the ultraviolet light source and the shield, and a non-reflection angle defined as a maximum angle from horizontal that the ultraviolet light can pass through the monolith without contacting the monolith.

Art Unit: 1744

Regarding claim 13, the shield height is also perfectly capable of being determined by the equation:

$$H = 2 \cdot D \cdot \tan(\alpha)$$

Wherein the shield height is defined by the variable H, the distance is defined by the variable D, and the non-reflection angle is defined by the variable  $\alpha$ .

***Claim Rejections - 35 USC § 103***

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Suenaga (Japanese Patent No. JP 2001299881 A).

Suenaga is relied upon as set forth in reference to claims 1, 2, 7-9, and 12-13 above. Suenaga does not appear to disclose that the device includes first monolith and a second monolith, the ultraviolet light source located between the first monolith and the second monolith. However, it is conventionally known in the art of sterilization to utilize a first monolith and a second monolith wherein an ultraviolet light source is located between the first monolith and the second monolith in order to enhance the sterilization

process. Suenaga discloses this particular piece of evidence in drawing 19 of a conventional indoor air quality module. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the apparatus to include a first monolith and a second monolith wherein an ultraviolet light source is located between the first monolith and the second monolith, as such is conventionally well known and commonly used in order to enhance the sterilization process as exemplified by Suenaga.

10. Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Suenaga (Japanese Patent No. JP 2001299881 A) in view of Ichikawa (U.S. Patent No. 6,421,915).

Suenaga is relied upon as set forth above. Suenaga continues to disclose that the monolith is coated with a photocatalytic coating (paragraph 10), but does not appear to disclose that the monolith comprises a honeycomb shape with a plurality of hexagonal passages. Ichikawa discloses a monolith coated with a catalyst that is utilized in indoor air quality modules wherein the monolith comprises a honeycomb shape with a plurality of hexagonal passages in order to provide effective purifiability of air quality while decreasing the amount of pressure loss within the system (column 3, lines 10-39). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the monolith of Suenaga to include a honeycomb shape with a plurality of hexagonal passages in order to provide effective purifiability of air quality while decreasing the amount of pressure loss within the system as exemplified by Ichikawa.

Art Unit: 1744

11. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Suenaga (Japanese Patent No. JP 2001299881 A) in view of Say et al. (U.S. Patent No. 5,790,934).

Suenaga is relied upon as set forth above. Suenaga does not appear to disclose that the photocatalytic coating is titanium dioxide. However, titanium dioxide is a commonly used and conventionally known material for photocatalytic coating in the art of purifying air. Say discloses an indoor air quality module comprising: a compartment having an inlet and an outlet; a monolith located between the inlet and the outlet; a photocatalytic coating on the monolith; and an ultraviolet light source which directs ultraviolet light towards the photocatalytic coating (Figures 1-9; column 2, lines 35-47). The reference continues to disclose that the photocatalytic coating is titanium dioxide (column 5, lines 52-55). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the device of Suenaga to utilize titanium dioxide as the photocatalytic coating, as such is commonly used and a conventionally known material for photocatalytic coating in the art of purifying air as exemplified by Say.

12. Claims 6, 11 and 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Suenaga (Japanese Patent No. JP 2001299881 A) in view of Bigelow (U.S. Patent No. 6,500,387).

Suenaga is relied upon as set forth above. Suenaga does not appear to disclose that the shield comprises a sheet metal and that the shield height is less than the monolith height. Bigelow discloses an indoor air quality module comprising: a

Art Unit: 1744

compartment having an inlet and an outlet; a monolith (20 & 22) located between the inlet and the outlet; a photocatalytic coating on the monolith (column 12, lines 1-10); an ultraviolet light source (50) which directs ultraviolet light towards the photocatalytic coating; and a shield (26) adjacent the monolith as shown in Figures 2 & 2A. The reference continues to disclose that the shield comprises a sheet metal (column 12, lines 10-16) and that the shield height is less than the monolith height (as shown in Figures 9 & 9A) in order to provide optimal reflectivity (column 11, lines 32-40) and limit the amount of air that is blocked by the shield when passing through the module. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the shield of Suenaga to utilize a sheet metal material and provide a shield height that is less than the monolith height in order to provide optimal reflectivity and limit the amount of air that is blocked by the shields when passing through the module as exemplified by Bigelow.

Regarding claim 14, Suenaga discloses an indoor air quality module comprising: a compartment (26) having an inlet and an outlet; a first monolith (2) located between the inlet and the outlet of the compartment and having a monolith height; a second monolith (2) located between the inlet and the outlet of the compartment and having the monolith height; a photocatalytic coating on the first monolith and the second monolith (paragraph 10); an ultraviolet light source (4) adjacent the first monolith and the second monolith which is capable of directing ultraviolet light towards the photocatalytic coating; and a first shield (3); and a second shield having a shield height (3), the first monolith and the second monolith located between the first shield and the second shield, and the



Art Unit: 1744

first shield being capable of reflecting the ultraviolet light that passes through the first monolith towards the first monolith to minimize leakage of the ultraviolet light from the module and the second shield reflecting the ultraviolet light that passes through the second monolith towards the second monolith to minimize leakage of the ultraviolet light from the module as shown in Figure 14 and disclosed in paragraph 20. It is noted that many of the limitations of claim 14 are met with respect to claim 1, thus the explanations given with claim 1 are relied upon as necessary with respect to claim 14. Suenaga does not appear to disclose that the shield height is less than the monolith height. Bigelow discloses an indoor air quality module comprising: a compartment having an inlet and an outlet; a monolith (20 & 22) located between the inlet and the outlet; a photocatalytic coating on the monolith (column 12, lines 1-10); an ultraviolet light source (50) which directs ultraviolet light towards the photocatalytic coating; and a shield (26) adjacent the monolith as shown in Figures 2 & 2A. The reference continues to disclose that the shield height is less than the monolith height (as shown in Figures 9 & 9A) in order to limit the amount of air that is blocked by the shields when passing through the module. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the device of Suenaga to prepare the shield with a height that is less than the monolith height in order to limit the amount of air that is blocked by the shields when passing through the module as exemplified by Bigelow.

Concerning claim 15, Suenaga in view of Bigelow is relied upon as set forth in reference to claim 14. Suenaga continues to disclose in an alternate embodiment that the shield (3) has an upper edge and an opposing lower edge, wherein an upper gap is

Art Unit: 1744

defined between the upper edge and the compartment and a lower gap is defined between the opposing lower edge and the compartment to produce two gap heights that are substantially equal (drawing 3) in order to allow the shield to vibrate and disperse the reflected light to the monolith from various different angles (paragraphs 15 and 16). More specifically, the shield has edges and produces very small gaps between itself and the upper and lower portions of the compartment (14). As broadly defined and shown in drawing 3, the gaps are substantially equal in height. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the first embodiment of Suenaga in view of Bigelow to include a shield having an upper edge and an opposing lower edge, wherein an upper gap is defined between the upper edge and the compartment and a lower gap is defined between the opposing lower edge and the compartment to produce two gap heights that are substantially equal in order to allow the shield to vibrate and disperse the reflected light to the monolith from various different angles as exemplified by the second embodiment of Suenaga.

Regarding claim 16, the shield heights of Suenaga are fully capable of being defined by a first distance that is defined between the ultraviolet light source and the first shield and a second distance that is defined between the ultraviolet light source and the second shield, and a non-reflection angle that is defined as a maximum angle from horizontal that the ultraviolet light can pass through the first monolith and the second monolith without contacting the first monolith and the second monolith, and wherein the shield height of the first shield depends on the first distance and the non-reflection angle

and the shield height of the second shield depends on the second distance and the non-reflection angle.

### ***Double Patenting***

13. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

14. Claims 1-5 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-3, and 8-12 of copending Application No. 10/788845 in view of Suenaga (Japanese Patent No. 2001299881A). Claims 1-3 and 8-12 of Application No. 10/788845 disclose all of the limitations of claims 1-5 from the instant application except for the shield adjacent to the monolith. However, as discussed above, Suenaga discloses a shield adjacent a monolith in an indoor air quality module. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify '845 to include a shield adjacent to a monolith in

order to reflect the unused ultraviolet light towards the monolith as exemplified by Suenaga.

This is a provisional obviousness-type double patenting rejection.

15. Claims 1-5 and 10 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-3, and 10-12 of copending Application No. 10/789962 in view of Suenaga (Japanese Patent No. 2001299881A). Claims 1-3 and 10-12 of Application No. 10/789962 disclose all of the limitations of claims 1-5 and 10 from the instant application except for the shield adjacent to the monolith. However, as discussed above, Suenaga discloses a shield adjacent a monolith in an indoor air quality module. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify '962 to include a shield adjacent to a monolith in order to reflect the unused ultraviolet light towards the monolith as exemplified by Suenaga.

This is a provisional obviousness-type double patenting rejection.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin C. Joyner whose telephone number is (571) 272-2709. The examiner can normally be reached on M-F 8:00-4:30.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on (571) 272-1214. The fax phone

Art Unit: 1744

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KCJ



GLADYS JP CORCORAN  
SUPERVISORY PATENT EXAMINER